

Certificate MAR 1 7 2006

of Correction

PATENT 39716/W112

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

U.S. Patent No.

: 6,905,495

Confirmation No. 6739

Issued

: June 14, 2005

Inventor(s)

: Kristine B. Fuimaono, et al.

Application No.

: 09/692,494

Filed

: October 19, 2000

Title

: IRRIGATION PROBE FOR ABLATION DURING OPEN HEART

SURGERY

REQUEST FOR CERTIFICATE OF CORRECTION

Office of Certificates of Correction

Commissioner for Patents

P.O. Box 1450

Alexandria, VA 22313-1450

P. O. Box 7068

Pasadena, CA 91109-7068

March 8, 2006

Commissioner:

Submitted herewith are two copies of a proposed Certificate of Correction for the abovereferenced patent. The errors are identified in detail in the proposed certificate, and the corresponding text in the application is located as follows:

Location in Patent

Location in Application

PTO errors:

On the Title Page

(56) References Cited

DS filed April 3, 2001

Other Publications

Hindricks et al., "Antiarrhythmic Surgery. . .

In the Claims

Column 12, line 15, Claim 36

Claims as Originally filed, pg. 23, Old Claim 56, line 2

Column 12, line 55, Claim 45

Amendment dated July 22, 2002, pg. 7, Old Claim 60,

line 2

Applicant errors:

03/14/2006 SDENBOB1 00000009 6905495

MAR 16 ZUUS

01 FC:1811

In the Claims

Column 11, line 57, Claim 27

Claims as Originally filed, pg. 22, Old Claim 52, line 8

I hereby certify that this correspondence is being deposited with the U.S. Postal Service as first class mail in an envelope addressed to: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-

U.S. Patent No. 6,905,495

Applicant(s) errors were unintentional and inadvertent, and were made in good faith through oversight. Correction is accordingly requested under 35 U.S.C. § 255, and our check for the \$100 statutory fee is enclosed. Any deficiency or overpayment should be charged or credited to Deposit Account No. 03-1728. Please show our docket number with any credit or charge to our Deposit Account.

Correction of applicant(s) errors does not constitute new matter or require reexamination. Approval of this certificate is respectfully requested

Respectfully submitted,

CHRISTIE, PARKER & HALE, LLP

By

Anne Wang Reg. No. 36,045 626/795-9900

AW/clv

Enclosures:

Certificate of Correction (2)

Check \$100

CLV PAS665322.1-*-02/2/06 2:45 PM

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

(Also Form PTO-1050)

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

Page	1	of 1	
1 age	-	01 1	

PATENT NO.

6,905,495

APPLICATION NO.:

09/692,494

ISSUE DATE

Jun. 14, 2005

INVENTOR(S)

Fuimaono et al.

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

On the Title Page

(56) References Cited

Delete "Hindrickes",

Other Publications

Insert --Hindricks--

Hindricks et al., "Antiarrhythmic Surgery. .

In the Claims

Column 11, line 57, Claim 27

Delete "extends",

Insert --extend--

Column 12, line 15, Claim 36

Delete ".".

Insert --;--

Column 12, line 55, Claim 45

Delete "f or",

Insert --for--

MAILING ADDRESS OF SENDER (Please do not use customer number below):

CHRISTIE, PARKER & HALE, LLP.

P.O. Box 7068

Pasadena, California 91109-7068

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.



Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number. (Also Form PTO-1050)

UNITED STATES PATENT AND TRADEMARK OFFICE CERTIFICATE OF CORRECTION

Page	1	of 1	

PATENT NO.

6,905,495

APPLICATION NO.:

09/692,494

ISSUE DATE

Jun. 14, 2005

INVENTOR(S)

Fuimaono et al.

It is certified that an error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

On the Title Page

(56) References Cited

Delete "Hindrickes",

Other Publications

Insert --Hindricks--

Hindricks et al., "Antiarrhythmic Surgery. .

In the Claims

Column 11, line 57, Claim 27

Delete "extends",

Insert --extend--

Column 12, line 15, Claim 36

Delete ".".

Insert --;--

Column 12, line 55, Claim 45

Delete "f or",

Insert --for--

MAILING ADDRESS OF SENDER (Please do not use customer number below):

CHRISTIE, PARKER & HALE, LLP.

P.O. Box 7068

Pasadena, California 91109-7068

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

